



JAYTECH ENGINEERING



Registered Office: "GAJANAN", PLOT NO.66, GOVIND BAUG, BAMBHANIYA WADI-2,
VIDHYANAGAR, BHAVNAGAR, GUJARAT, 364002, INDIA

MAINLY ENGAGED IN

We are Mainly Engaged in products like Security Tower Searchlight, Industrial Air Ventilation Blower, Smoke Detectors, Flame Detectors, Heat Detectors, Smoke Detector Tester, Flame Detector Tester, Heat Detector Tester, Manual Call Points, Fire Alarm Panels, Chemical Suits, Boiler Suits, Fire Suits, Fire Hose Pipes, Fire Hose Reel, Fire Blanket, Fire Hose Box, FRP Ladders, Flame Proof Blowers with its Duct Pipe, Fire Extinguisher, Fire Hose Coupling, Fire Alarm Hooter, Fire Alarm Sounder, Explosion Proof Light Fittings, Fire Helmets, Flameproof Helmets, Security Dragon Searchlight and many more.

Our Aim: In this “experience economy” we now live in, the customers must be taken on a journey from start to finish that makes them go “WOW”

WHO WE ARE

We are happy to welcome you to **JAYTECH ENGINEERING**, one of the leading Stockiest, Traders, & Exporters of Industrial Safety and Fire Safety Products. Our activities are based in Trading and Exporting of Brand New Fire and Industrial Safety Product.

Established in Year 2014, **JAYTECH ENGINEERING** based at Bhavnagar and Ahmedabad is known as one of the leading Industrial Safety Parts traders and Stockiest providing quality services to the Industries and ship management companies, acting as a go-between with the original spares manufacturers, suppliers as well as reliable OEM suppliers within India and all over the world.

Quality improvement and implementation for perfection has always kept us ahead. All our efforts have been focused in supplying spares with professionalism, reliability and competitiveness. International industry expects the highest quality of service and our aim is to fulfill increasingly sophisticated customer requirements with the best quality and services up to their entire satisfaction.

Our firm is completely independent, so our loyalty belongs exclusively to our clients.

Our Vision: “Business is about loving the people who do business with us and giving them more value than they have any right to expect .”





SMOKE DETECTOR AND ITS TYPES

SMOKE DETECTORS



SMOKE DETECTOR TESTER



BELOW ARE THE SOME OF THE MODEL NO. AVAILABLE READY STOCK.

- SALWICO CONSILIUM EVPP-SID 38
- SALWICO CONSILIUM EV-PH
- APOLLO 5800-600 MAR DISCOVERY OPTICAL SMOKE DETECTOR
- NOTIFIER FST-851 SMOKE DETECTOR
- NOTIFIER FSP-851 SMOKE DETECTOR
- AUTRONICA BHH-20 SMOKE DETECTOR
- AUTRONICA BHH-200 SMOKE DETECTOR
- SALWICO NS-AOS OPTICAL SMOKE DETECTOR
- AUTRONICA BHH-300 SMOKE DETECTOR
- NOHMI BOSAI FDL 515-IW-65 SMOKE DETECTOR
- AUTRONICA BHH-320 SMOKE DETECTOR
- THORN SECURITY MR901M OPTICAL SMOKE DETECTOR
- AUTRONICA BJH-33 SMOKE DETECTOR
- SALWICO CONSILIUM ES-2K SMOKE DETECTOR
- APOLLO 55000-300 MAR SERIES 60 SMOKE DETECTOR
- APOLLO 55000-200 MAR SMOKE DETECTOR
- AUTRONICA BJH-31 SMOKE DETECTOR
- SALWICO CONSILIUM OA 100 SMOKE DETECTOR
- MARINELEC TECHNOLOGIES OPTICAL SMOKE DETECTOR
- APOLLO XP95 INTRINSICALLY SAFE OPTICAL SMOKE DETECTOR
- APOLLO ORBIS ORB-OP-12001-APO OPTICAL SMOKE DETECTOR
- APOLLO ORBIS ORB-OP-42001-MAR OPTICAL SMOKE DETECTOR
- SALWICO CONSILIUM DOS3 OPTICAL SMOKE DETECTOR
- SALWICO CS3000 RDJ-2 IONIZATION SMOKE DETECTOR
- APOLLO SERIES 65 OPTICAL SMOKE DETECTOR
- SALWICO CONSILIUM PART NO. 044750 IONIZATION SMOKE DETECTOR
- SALWICO EV-PP IA100 RDJ- SMOKE DETECTOR
- AUTRONICA BHH-220 SMOKE DETECTOR
- APOLLO ORB-OP-52027-APO OPTICAL SMOKE DETECTOR
- APOLLO XP95 55000-620 MAR OPTICAL SMOKE DETECTOR
- AUTRONICA BHH-500/N SMOKE DETECTOR

FLAME DETECTOR



FLAME DETECTOR TESTER



MARINE VENTILATION BLOWER



SPECIFICATIONS:-

- ● Portable for Ventilator, Model : -300
- ● Power : 220 V,550W
- ● Impeller : 200 mm(8"), 300mm (12") , 400mm(16")
- ● Frequency : 50/60
- ● Air Flow : 65 - 77 M3/Min, Pressure : 385/450
- ● Speed : 2800-3300 RPM, Insulation Grade



● FEATURES:-

- Strong Air Pressure,
- High Rotational Speed and Air Volume,
- Strong Suction. Very Easy to Shifting, Handling and Assembling
- Compact, rugged, reliable Compact

MORE ON MARINE VENTILATION BLOWER

• MATERIAL :-

- • Ventilator Shell : Hot Dipped Galvanized
- • Spray Painted Automobile Coating on its
- • Impeller : Aluminum Casting Alloy
- • Fan Guard : Zinc coating
- • Motor : 100 % Copper Wire
- • Handle : Plastic



Application :-

- Exhaust and Supply Fresh Air in Remote Space,
- Construction and Other Bad Air Environment.
- Exhaust Welding Waste Gases, Smoke,
- Field of Machinery, Chemical Industry, Sinking, Ideal for any application.



FLAMEPROOF BLOWER / RAMFAN



Item	UB30 - 230 V
Air flow	
• Free air	3429 m3/hr
• with 4,6 mt duct and one 90° turn	2550 m3/hr
Weight	17 kg
Dimensions	508/394/305 mm
Noise	89 dB
Motor	0,62 hp / 0,8 kW
Electric	230 Vac 1Ø
Amps	5 A (run)

- > Dual voltage/dual frequency/one unit
- > Ideal for long and windy duct runs
- > High impact polyethylene shell
- > Polypropylene turbo fan blade
- > Low starting amps
- > Stackable design feature
- > Comes with standard 15'/4.6 m power cord
- > Compatible with MED system (with adapter for DN 200 hose)

Optional accessories: standard duct, duct storage bag, duct reducer/adapter.




CHEMICAL SUIT



BOILER SUIT



IMMERSION SUIT



DIVING SUIT



MANUAL CALL POINTS



- **JAYTECH ENGINEERING**, Established in **2014** at Bhavnagar in Gujarat, INDIA, is leading Supplier, Trading Company of Fire Alarms and Manual Call Points in India. **JAYTECH ENGINEERING** is one of India's verified and trusted sellers. With their extensive experience of supplying and trading Manual Call Points.
- **JAYTECH ENGINEERING** has made a reputed name for themselves in the market with high quality Manual Call Point. Focusing on a customer centric approach, has a pan-India presence and caters to a huge consumer base throughout the country. Buy Fire Alarm Systems and other fire products in bulk from JAYTECH ENGINEERING with quality-assured products.

BELOW ARE THE SOME OF THE MODEL NO. AVAILABLE READY STOCK.

- **AUTRONICA BF-31 MANUAL CALL POINT**
- **CONSILIUM MCP-A-SCI 5200030-02B**
- **CONSILIUM N1307HB**
- **SALWICO CONSILIUM MCP-A SCI WP 5200031-2B**
- **THORN SECURITY 576.501.022.T**
- **SECURITON MCP545X-4N**
- **THORN SECURITY CP230 514.001.010**
- **AUTRONICA BF-21 MANUAL CALL POINT**
- **AUTRONICA BN-33A/24 MANUAL CALL POINT**
- **THORN SECURITY CP260 MANUAL CALL POINT**
- **APOLLO 55100-022 MAR**
- **SALWICO AEK-2 MANUAL CALL POINT**
- **HOCHIKI MCP1A MANUAL CALL POINT**
- **AUTRONICA BF-501 MANUAL CALL POINT**
- **THORN SECURITY MCP830M**
- **TYCO CP920**
- **AUTRONICA BF 300 MANUAL CALL POINT**
- **AUTRONICA BF-33LA MANUAL CALL POINT**
- **SIEMENS DM1153 MANUAL CALL POINT**
- **SIEMENS DM1151 MANUAL CALL POINT**
- **TYCO MCP820M MANUAL CALL POINT**
- **CONSILIUM WCP1-A R330SG-C035-01**
- **SIRA MCP 220EX MANUAL CALL POINT**
- **HONEYWELL MCP5A-RP03FF MANUAL CALL POINT**
- **CONSILIUM MCP-C IP24**
- **APOLLO 55100-940 XP95**
- **AUTRONICA BF-52 MANUAL CALL POINT**
- **THORN SECURITY CP530**
- **AUTRONICA BF-33LA**
- **CONSILIUM NS CPIP55**
- **AUTRONICA BF-300M**
- **NITTAN AS-MCP RS IP24**

FIRE PANELS AND REPEATERS



- **JAYTECH ENGINEERING**, Established in 2014 at Bhavnagar in Gujarat, INDIA, is leading Supplier, Trading and Stockiest Company of Fire Alarm Panels and Repeaters in India. JAYTECH ENGINEERING is one of India's verified and trusted sellers. With their extensive experience of supplying and trading Fire Panel and Repeater.

JAYTECH ENGINEERING has made

a reputed name for themselves in the market with high quality Fire Panels and Repeaters.

Focusing on a customer centric approach, has a pan-India presence and caters to a huge consumer base throughout the country. Buy Fire Panels and Repeaters and other fire products in bulk from JAYTECH ENGINEERING with quality-assured products.



BELOW ARE THE SOME OF THE MODEL NO. AVAILABLE READY STOCK

- DECKMA GmbH MOD 2000 815.5-6 GI FIRE ALARM SYSTEM
- NOHMI BOSAI FAC511B-16I FIRE ALARM PANEL
- AUTRONICA BU 101 FIRE ALARM SYSTEM
- MORLEY DXC FIRE ALARM SYSTEM
- AUTRONICA BS-420 M FIRE ALARM CONTROL PANEL
- MINERVA MARINE T1016 FIRE ALARM CONTROL PANEL
- KANTEC ELECTRONICS M8000 FIRE ALARM PANEL
- AUTRONICA BX 40 FIRE ALARM CONTROL PANEL
- AUTRONICA BX 100 FIRE ALARM PANEL
- SAFETEC SMOKE DETECTION SYSTEM SDS-48
- THORN SECURITY T280 FIRE PANEL
- AUTRONICA BS-310/320 FIRE PANEL
- CONSILIUM 400-101-13100A FIRE PANEL
- TYCO T-200 AND T200R
- AUTRONICA BUR-200
- MINERVA MARINE T1016
- THORN SECURITY T1204A2
- TYCO T2000 INTELLIGENT MARINE CONTROL PANEL
- ELTEK FIRE ALARM SYSTEM ANX 95
- SCANA SERVOTEKNIKK BMS-904 FIRE ALARM PANEL
- TYCO MINERVA MX T2000
- SENSITRON STPL4 PL4 GAS LEAK DETECTION CONTROL PANEL
- NOTIFIER AFP-200 INTELLIGENT FIRE DETECTOR AND ALARM SYSTEM

Fire Extinguisher



ABC, DCP, Mechanical Foam, Co2, Water Co2 - IRS & ISI Approved

Boat Hook

Lalzas telescopic Boat hook are useful accessories with a twin hook at one end. They are used to both hook and retrieve objects that are otherwise difficult to reach, such as ropes, lifebuoy rings, mooring buoys etc. They are Fast and secure! Strong telescopic boat hook made of seawater resistant aluminium. The boat hook can be extended quickly and easily.

Telescopic Boat Hook	
Code	50050
Diameter	3 cm
Minimum Length	118 cm
Maximum Length	204 cm



Fire Nozzle & Coupling



Fire Hydrant



Fire Blanket

Fire Blanket is a safety device designed to incipient (starting) fires. It consists of a sheet of a fire retardant material which extinguish small fires. They can also be used to wrap around a person whose clothes have caught alight. It comes in a PVC case of 100cm x 100cm.



Megaphone

Megaphone w/ Siren, 20W, 400m

- Diameter: 200mm
- Length: 350mm
- Power: 20W
- Sound Coverage: 400m approx.
- Function: Talk/Siren (or Music)
- Batteries: 6D
- ABS Housing



Foam Applicator



Fire Hose Box



International Shore Connection



Fire Hose



Fire Axe



Fire Bucket



Heat & Smoke Detector



Breathing Apparatus



Breathing Air Compressor Bauer

HRU for Liferaft & EPIRB's



FIRE HOSE BOXES



FIRE HOSE PIPES



FIRE HOSE REELS



FIRE BLANKET



FIRE ALARM SOUNDERS WITH FLASH LIGHTS


**Clifford and Snell YL40/N50/R/RN/WR Beacon / Sounder Industrial
Red Flashing Multiple Tones
106dB, 230VAC, IP65**



**FIRE ALARM BELL MBDC-6 CERBERUS PYROTRONICS
6" MOTOR BELL
18-31 vdc, 0.02-0.04A**



**E2S Warning Signals L101
Code L101DC24 W/A
Normal Voltage: 24 vdc
Nominal Current 250mA
IP Rating IP 56**



FIRE ALARM SOUNDERS WITH FLASH LIGHTS

E2S WARNING SIGNALS AL105NX ALARM HORN SOUNDER COMBINED

The AL105NX features the 112dB(A) A105N alarm sounder combined with the L101X Xenon beacon. The compact, robust housing is ideal for all general signalling applications including fire, security and process control.

The 5 Joule Xenon strobe generates over 200 candela of light output. DC versions have multiple flash rates selectable during installation. Sounder & beacon may be connected from a single supply for simultaneous operation or from separate supplies for independent operation.



Specifications

Brand	e2s	Supply Voltage	230 V ac
Lens Colour	Amber	Mounting Style	Wall Mount
Current Type	AC	Light Effect	Flashing
Sounder Type	Electronic	Decibels at 1 Metre	112dB
Series	AL105N	Bulb Type	Xenon
Housing Colour	Red	Minimum Decibel	96dB
Maximum Decibel	105dB	Number Of Tones	32
Minimum Temperature	-25°C	Housing Material	ABS
Maximum Temperature	+55°C	Country of Origin	GB

Features:

- Automatic synchronisation on multi-sounder system.
- High output Xenon beacon
- DC voltage units feature multiple flash rates.
- Continuously rated.
- Stainless steel fixings.
- Unit can be mounted using external lugs or internal BESA compatible fixing positions.
- Duplicate cable terminations (in & out for daisy-chain installations).
- Tropicalisation available on request.
- Available with custom tone configurations and frequencies.
- 'Programmable' version available:
 - 45 alarm tones
 - 4 remotely selectable stages
 - Any tone can be assigned to any stage
 - User configurable continuous frequency tone



Hand Protection



Head Protection



Hearing Protection



HEAT DETECTORS



HEAT DETECTOR TESTER



WOLFLITE RECHARGEABLE LAMP WITH CHARGER



Product Description

Product Reference	C-251 LV	C-251 HV
Product Description	Low Voltage Handlamp Charger	Mains Voltage Handlamp Charger
Apparatus Standards	EN60 335	
Insulation Class	III	II
Enclosure	Polypropylene	
Input Voltage	12-32Vdc	120/230Vac*
Recharge Time	10-12 hrs at 24v	8-10 hrs
Ingress Protection	IP20	
Weight	0.5kg	0.75kg
Mounting	All chargers may be bench or wall mounted	
Compatible handlamp	H-251MK2 / H-251A\LED	

- C-251 HV is also available with a European 2-Pin Plug - Model No. C-251 HVE.
- *C-251 HV may also be powered from 'rig' voltage 254Vac 60 Hz.
- All information has been gathered under laboratory conditions, the user must regard the values given as approximate.
- Changes may be made to the above specification without notification, details are available on request

CONTACT DETAILS



JAYTECH ENGINEERING

Registered Office: "GAJANAN", PLOT NO.66, GOVIND BAUG, BAMBHANIYA WADI-2, VIDHYANAGAR, BHAVNAGAR, GUJARAT, 364002, INDIA



Office Address

S-15, Second Floor,
Krishna Complex,
Waghawadi Road,
Bhavnagar, 364001,
Gujarat, INDIA



Call / Whatsapp Support

+91 7016007424
Mr. Jignesh Gorajiya

+91 7046138596
Mr. Jaimin Gorajiya



Email Support

jaytecheng@gmail.com
jaytecheng@outlook.com



www.jaytechengineering.com
www.jaytechengineering.blogspot.com